

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	67	382/118.ccls. and (face or facial) with (-1 or negative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:48
L3	5	sang-min near2 yoon.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:43
L4	33	seok-cheol near2 kee.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:43
L5	31	seok-cheol near2 kee.in. and face	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:44
L6	14	seok-cheol near2 kee.in. and face and eigen\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:44
L7	633	((face or facial) with (-1 or negative) ).clm.	US-PGPUB	OR	ON	2007/08/31 09:48
L8	1	((face or facial) with (-1 or negative) and eigen\$10).clm.	US-PGPUB	OR	ON	2007/08/31 09:49
S35	235	filter\$4 with no with (edge or contour) and (wavelet or decompos\$5 or pyramid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:16

## EAST Search History

S36	77	filter\$4 with no with (edge or contour) and (wavelet or decompos\$5 or pyramid)and quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:16
S37	68	filter\$4 with no with (edge or contour) and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:17
S38	31	filter\$4 near5 no with (edge or contour) and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:26
S39	46	kernel with (edge or contour) and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:26
S40	62	kernel with (edge or contour or border or boundar\$4) and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:38
S41	3	kernel with (edge or contour or border or boundar\$4)with (weight\$4 or coefficient) and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:39
S42	119	(edge or contour or border or boundar\$4)with (weight\$4 or coefficient)with zero and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:40

## EAST Search History

S43	13	(edge or contour or border or boundar\$4)with (weight\$4 )with zero and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:41
S44	122	(edge or contour or border or boundar\$4)same (weight\$4 ) with filter\$4 and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:41
S45	9	(edge or contour or border or boundar\$4)same (weight\$4 ) with filter\$4 with (zero or "0") and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:42
S46	82	(edge or contour or border or boundar\$4)and (weight\$4 ) with filter\$4 with (zero or "0") and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:43
S47	9	(edge or contour or border or boundar\$4)same (weight\$4 ) with filter\$4 with (zero or "0") and (wavelet or decompos\$5 or pyramid)and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:43
S48	46	(edge or contour or border or boundar\$4)same (weight\$4 ) with filter\$4 with (zero or "0") and quantiz\$5 and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:01
S49	91	(edge or contour or border or boundar\$4)with convolution and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:03

## EAST Search History

S50	3	(edge or contour or border or boundar\$4)with convolution with (around or along or perimeter) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:07
S51	7	(edge or contour or border or boundar\$4)with convolution with (range or area or region) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:07
S52	12	(edge or contour or border or boundar\$4)with convolution with (range or area or region or domain) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:13
S53	12	(edge or contour or border or boundar\$4)with convolution with (range or area or region or domain or exterior) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:13
S54	12	(edge or contour or border or boundar\$4)with convolution with (range or area or region or domain or exterior or outside) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:13
S55	12	(edge or contour or border or boundar\$4)with convolution with (range or area or region or domain or exterior or outside or object) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:14
S56	15	(edge or contour or border or boundar\$4)with (convolution or kernel) with (range or area or region or domain or exterior or outside or object) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:14

## EAST Search History

S57	15	(edge or contour or border or boundar\$4)with (convolution or kernel) with (range or area or region or domain or exterior or outside or object with pixel) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:15
S58	34	(edge or contour or border or boundar\$4)with (convolution or kernel) with (range or area or region or domain or exterior or outside or object or pixel) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:16
S59	101	(edge or contour or border or boundar\$4)with (convolution or kernel or filter\$4) with (exterior or outside or inside or interior) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:41
S60	27	(object)with (convolution or kernel or filter\$4) with (exterior or outside or inside or interior) and quantiz\$5 and (encod\$4 or compress\$4)and (wavelet or pyramid or decompos\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:42
S61	19586	(wavelet or pyramid or decompos\$5 ) with filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:12
S62	308	(wavelet or pyramid or decompos\$5 ) with filter\$4 with (edge or contour)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:12
S63	434	(wavelet or pyramid or decompos\$5 ) with filter\$4 with (edge or contour or border or boundar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:12

## EAST Search History

S64	435	(wavelet or pyramid or decompos\$5 ) with filter\$4 with (edge or contour or border\$4 or boundar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:13
S65	298	(wavelet or pyramid or decompos\$5 ) with filter\$4 with (edge or contour or border\$4 or boundar\$4) and (compress\$4 or encod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:14
S66	0	(wavelet or pyramid or decompos\$5 ) with filter\$4 with (edge or contour or border\$4 or boundar\$4) with (straddl\$4) and (compress\$4 or encod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:14
S67	7	(wavelet or pyramid or decompos\$5 ) with filter\$4 with (edge or contour or border\$4 or boundar\$4) with (follow\$4) and (compress\$4 or encod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:15
S68	298	(wavelet or pyramid or decompos\$5 ) with filter\$4 with (edge or contour or border\$4 or boundar\$4) and (compress\$4 or encod\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:15
S69	1	("6539060").PN.	USPAT	OR	OFF	2007/08/29 12:23
S70	1	("5877813").PN.	USPAT	OR	OFF	2007/08/29 12:25
S71	1120	orthogonal with wavelet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:25
S72	848	orthogonal with wavelet and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:28

## EAST Search History

S73	196	orthogonal with wavelet and (encod\$4 or compress\$4) and filter\$4 with (edge or contour or border\$4 or boundar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 12:31
S74	134	orthogonal with wavelet and (encod\$4 or compress\$4) and filter\$4 with (edge or contour or border\$4 or boundar\$4)and wavelet with coefficient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:52
S75	1	("20030012406").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/29 13:52
S76	12	quantization adj factor with "h.263"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:30
S77	254	filter\$4 with weight\$4 with averag\$4 same (Edge or contour or border)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:32
S78	254	filter\$4 with weight\$4 with averag\$4 same (Edge or contour or border)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:33
S79	129	filter\$4 with weight\$4 with averag\$4 same (Edge or contour or border) same pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:37
S80	70	filter\$4 with weight\$4 with averag\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:13

## EAST Search History

S81	125	filter\$4 with weight\$4 same averag\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:26
S82	1	("6305805").PN.	USPAT	OR	OFF	2007/08/30 11:20
S83	17	weight\$4 near5 averag\$4 adj10 filter\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:32
S84	13	weight\$4 near5 averag\$4 adj10 filter\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:35
S85	14	weight\$4 near5 averag\$4 adj20 filter\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:35
S86	14	weight\$4 near5 averag\$4 adj100 filter\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:35
S87	14	weight\$4 near5 averag\$4 adj200 filter\$4 same (Edge or contour or border) same pixel and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:36
S88	434	weight\$4 near5 averag\$4 adj200 filter\$4 and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:36



## EAST Search History

S89	1711	weight\$4 near5 averag\$4 same filter\$4 and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:36
S90	93	weight\$4 near5 averag\$4 same filter\$4 same (edge or contour) and (encod\$4 or compress\$4) and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:32
S91	959	replac\$4 with (coefficient or weight) with filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:34
S92	322	replac\$4 with (coefficient or weight) with filter and transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:35
S93	0	replac\$4 with (coefficient or weight) with filter same renormalization and transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:35
S94	1	replac\$4 with (coefficient or weight) with filter same normalization and transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:35
S95	322	replac\$4 with (coefficient or weight) with filter and transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:36

## EAST Search History

S96	17	replac\$4 with (coefficient or weight) with filter with (averag\$4 or median or mean or statistic\$2) and transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:44
S97	1335	382/239.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:40
S98	358	375/240.02.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:40
S99	37457	face with (glasses or beard or mask or scarf or sunglasses) with (one or "1")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:30
S10 0	38236	face with (glasses or beard or mask or scarf or sunglasses or occlu\$5) with (one or "1")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:33
S10 1	687	face with (glasses or beard or mask or scarf or sunglasses or occlu\$5) with (one or "1") and recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:33
S10 2	691	face with (glasses or beard or mask or scarf or sunglasses or occlu\$5 or disguise) with (one or "1") and recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:34

## EAST Search History

S10 3	5	face with (glasses or beard or mask or scarf or sunglasses or occlu\$5 or disguise) with ("-1") and recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:34
S10 4	125	face with (glasses or beard or mask or scarf or sunglasses or occlu\$5 or disguise) with ("-1")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:53
S10 5	5	face with (glasses or beard or mask or scarf or sunglasses or occlu\$5 or disguise) with ("-1") and eigen\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:36
S10 6	27	face with ("-1") and eigen\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:36
S10 7	494	face with (glasses or beard or mask or scarf or sunglasses or occlu\$5 or disguise or cover\$4) with ("-1")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:53
S10 8	5	face with (glasses or beard or mask or scarf or sunglasses or occlu\$5 or disguise or cover\$4) with ("-1") and eigen\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:54
S10 9	6	(face or facial) with (glasses or beard or mask or scarf or sunglasses or occlu\$5 or disguise or cover\$4) with ("-1") and eigen\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:56

## EAST Search History

S11 0	1	(face or facial) with (glasses or beard or mask or scarf or sunglasses or occlu\$5 or disguise or cover\$4) with ("negative") and eigen\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:57
S11 1	818	382/118.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 07:59
S11 2	81	382/118.ccls. and occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 08:00
S11 3	1	382/118.ccls. and occlu\$4 with (-1 or negative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 08:00
S11 4	67	382/118.ccls. and (face or facial) with (-1 or negative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 09:33


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "((((((((face or facial&lt;in&gt;metadata))&lt;and&gt;(face or facial&lt;in&gt;metadata) &lt;near&gt;..."

☒ e-mail

Your search matched 32 of 99 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)
[New Search](#)

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

## Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract
 [Select All](#) [Deselect All](#)

- ☐ 1. **Evolutionary pursuit and its application to face recognition**  
Liu, C.; Wechsler, H.;  
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)  
Volume 22, Issue 6, June 2000 Page(s):570 - 582  
Digital Object Identifier 10.1109/34.862196  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1296 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **View independent face recognition based on kernel principal component parts**  
Hotta, K.;  
[Image Processing, 2005. ICIP 2005. IEEE International Conference on](#)  
Volume 3, 11-14 Sept. 2005 Page(s):III - 760-3  
Digital Object Identifier 10.1109/ICIP.2005.1530503  
[AbstractPlus](#) | Full Text: [PDF](#)(184 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **GA-fisher: a new LDA-based face recognition algorithm with selection of components**  
Wei-Shi Zheng; Jian-Huang Lai; Yuen, P.C.;  
[Systems, Man and Cybernetics, Part B, IEEE Transactions on](#)  
Volume 35, Issue 5, Oct. 2005 Page(s):1065 - 1078  
Digital Object Identifier 10.1109/TSMCB.2005.850175  
[AbstractPlus](#) | Full Text: [PDF](#)(1400 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. **Recognizing imprecisely localized, partially occluded, and expression var a single sample per class**  
Martinez, A.M.;  
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)  
Volume 24, Issue 6, June 2002 Page(s):748 - 763  
Digital Object Identifier 10.1109/TPAMI.2002.1008382  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(866 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 5. **Multi-class object recognition using boosted linear discriminant analysis masking covariance matrix method**  
Tanigawa, M.;


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(seok-cheol kee&lt;in&gt;au)"

☐ e-mail

Your search matched 13 of 1637503 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)
[New Search](#)

## Modify Search

(seok-cheol kee&lt;in&gt;au)

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Multiple Face Model of Hybrid Fourier Feature for Large Face Image Set**  
 Wonjun Hwang; Gyutae Park; Jongha Lee; Seok-Cheol Kee;  
[Computer Vision and Pattern Recognition, 2006 IEEE Computer Society Conference](#)  
 Volume 2, 2006 Page(s):1574 - 1581  
 Digital Object Identifier 10.1109/CVPR.2006.201  
[AbstractPlus](#) | Full Text: [PDF\(640 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. **LBP Discriminant Analysis for Face Verification**  
 Jiali Zhao; Haitao Wang; Haibing Ren; Seok-Cheol Kee;  
[Computer Vision and Pattern Recognition, 2005 IEEE Computer Society Conference](#)  
 Volume 3, 20-26 June 2005 Page(s):167 - 167  
 Digital Object Identifier 10.1109/CVPR.2005.580  
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **Face description based on decomposition and combining of a facial space**  
 Tae-Kyun Kim; Hyunwoo Kim; Wonjun Hwang; Seok-Cheol Kee; Kittler, J.;  
[Image Processing, 2003. ICIP 2003. Proceedings. 2003 International Conference on](#)  
 Volume 3, 14-17 Sept. 2003 Page(s):III - 877-80 vol.2  
 Digital Object Identifier 10.1109/ICIP.2003.1247385  
[AbstractPlus](#) | Full Text: [PDF\(354 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 4. **Speaker detection and tracking at mobile robot platform**  
 Sang Min Yoon; Seok Cheol Kee;  
[Intelligent Signal Processing and Communication Systems, 2004. ISPACS 2004 International Symposium on](#)  
 18-19 Nov. 2004 Page(s):596 - 600  
 Digital Object Identifier 10.1109/ISPACS.2004.1439126  
[AbstractPlus](#) | Full Text: [PDF\(405 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 5. **A novel heat kernel based Monte Carlo localization algorithm**  
 Dejun Wang; Jiali Zhao; Seok Cheol Kee;  
[Intelligent Robots and Systems, 2004. \(IROS 2004\). Proceedings. 2004 IEEE/RSJ International Conference on](#)  
 Volume 3, 28 Sept.-2 Oct. 2004 Page(s):2494 - 2499 vol.3


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(sang min yoon&lt;in&gt;au)"

Your search matched 2 of 1637503 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#) [Select All](#) [Deselect All](#)

## 1. Speaker detection and tracking at mobile robot platform

Sang Min Yoon; Seok Cheol Kee;  
[Intelligent Signal Processing and Communication Systems, 2004. ISPACS 2004 International Symposium on](#)  
 18-19 Nov. 2004 Page(s):596 - 600  
 Digital Object Identifier 10.1109/ISPACS.2004.1439126

[AbstractPlus](#) | Full Text: [PDF\(405 KB\)](#) IEEE CNF  
[Rights and Permissions](#)



## 2. Real-time multiple people detection using skin color, motion and appearance

Sang Min Yoon; Hyunwoo Kim;  
[Robot and Human Interactive Communication, 2004. ROMAN 2004. 13th IEEE Workshop on](#)  
 20-22 Sept. 2004 Page(s):331 - 334  
 Digital Object Identifier 10.1109/ROMAN.2004.1374782

[AbstractPlus](#) | Full Text: [PDF\(812 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

 Indexed by  
 Inspec
[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -